

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 453/2010)

## SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name : VC 175 Product code : VC17501

1.2. Relevant identified uses of the substance or mixture and uses advised against  $N\!/\!A$ 

## 1.3. Details of the supplier of the safety data sheet

Registered company name : DURIEU SA.

Address : 29 rue de Wedel, BP 20059, ZI.59541 .CAUDRY.France. Telephone : +33 (3)-27-76-60-60. Fax : +33 (3)-61-54-00-21. accueil@peintures-ox.fr http://www.oxi-peintures.fr

1.4. Emergency telephone number : +33 (1)- 45-42-59-59.

Association/Organisation : INRS / ORFILA http://www.centres-antipoison.net.

#### Other emergency numbers

N/A

N/A

#### **SECTION 2 : HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

#### In compliance with EC regulation No. 1272/2008 and its amendments.

Skin corrosion, Category 1B (Skin Corr. 1B, H314).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 2 (Aquatic Chronic 2, H411).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Acute cutaneous toxicity: harmful (Xn, R 21).

Acute inhalation toxicity: harmful (Xn, R 20).

Skin irritation (Xi, R 38).

Eye irritation (Xi, R 36).

Skin sensitisation (Xi, R 43).

Aquatic environmental hazard, chronic toxicity: toxic (N, R 51/53).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

#### 2.2. Label elements

Biocidal mixture (see section 15). Mixture for spray application.

In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms :



Signal Word : DANGER Product identifiers : 613-112-00-5 Hazard statements :

2-OCTYL-2H-ISOTHIAZOL-3-ONE

ETY DATA SHEET (REGU 175 - VC17501	JLATION (EC) n° 1907/2006 - REACH)	Version 2.1 (25-11-2014) - Page 2/8
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H411	Toxic to aquatic life with long lasting effects.	
Precautionary statements	- General :	
P101	If medical advice is needed, have product container or label at hand.	
P102	Keep out of reach of children.	
Precautionary statements	- Prevention :	
P260	Do not breathe spray.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protecti	on.
Precautionary statements	- Response :	
P301 + P330 + P331	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.	
P302 + P352	IF ON SKIN: Wash with plenty of water/	
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. I water/shower.	Rinse skin with
P304 + P340	IF INHALED: Remove person to fresh air and keep comfortable for bre	eathing.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove present and easy to do. Continue rinsing.	contact lenses, if
Precautionary statements	- Disposal :	
P501	Dispose of contents / container in accordance with local regulations.	

2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture satisfies neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

## **SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS**

## 3.2. Mixtures

## **Composition :**

Identification	(EC) 1272/2008	67/548/EEC	Note	%
NDEX: 57556			[1]	2.5 <= x % < 10
CAS: 57-55-6				
EC: 200-338-0				
REACH:				
01-2119456809-23				
PROPYLÈNE GLYCOL				
INDEX: 613-112-00-5	GHS06, GHS05, GHS09	T,N	[1]	2.5 <= x % < 10
CAS: 26530-20-1	Dgr	T;R23/24		
EC: 247-761-7	Acute Tox. 3, H331	C;R34		
	Acute Tox. 3, H311	Xn;R22		
2-OCTYL-2H-ISOTHIAZO	Acute Tox. 4, H302	Xi;R43		
L-3-ONE	Skin Corr. 1B, H314	N;R50/53		
	Skin Sens. 1, H317			
	Aquatic Acute 1, H400			
	M Acute = 1			
	Aquatic Chronic 1,			
	H410			
	M Chronic = 1			

#### Information on ingredients :

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. Description of first aid measures

## In the event of splashes or contact with eyes :

Wash thoroughly with soft, clean water for 15 minutes holding the eyelids open. Regardless of the initial state, refer the patient to an ophthalmologist and show him the label.

#### In the event of splashes or contact with skin :

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Remove any soiled or splashed clothing immediately.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated area is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing :

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor. Seek medical attention immediately, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5 : FIREFIGHTING MEASURES**

#### Non-flammable.

#### 5.1. Extinguishing media

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)

- carbon dioxide (CO2)

#### 5.3. Advice for firefighters

Due to the toxicity of the gas emitted on thermal decomposition of the products, fire-fighting personnel are to be equipped with autonomous insulating breathing apparatus.

## **SECTION 6 : ACCIDENTAL RELEASE MEASURES**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

#### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

#### 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

#### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

## 6.4. Reference to other sections

No data available.

#### **SECTION 7 : HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

## 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Emergency showers and eye wash stations will be required in facilities where the mixture is handled constantly.

#### Fire prevention :

Prevent access by unauthorised personnel.

**Recommended equipment and procedures :** 

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

#### Version 2.1 (25-11-2014) - Page 4/8

#### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### Storage

Keep out of reach of children.

#### Packaging

Always keep in packaging made of an identical material to the original.

#### 7.3. Specific end use(s)

No data available.

## SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

## Occupational exposure limits :

- Germany - AGW (BAuA - TRGS 900, 21/06/2010) :

CAS	VME :	VME :	Excess	Notes	
26530-20-1	-	0,05 mg/m3 E	2(I)	DFG, H, Y	
- UK / WEL (Wo	orkplace exposure lim	its, EH40/2005, 2007	):		
CAS	TWA :	STEL :	Ceiling :	Definition :	Criteria :
57-55-6	150 ppm	-	-	-	-

## 8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

#### Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

When spraying, wear a face shield in accordance with standard EN166.

Prescription glasses are not considered as protection.

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours.

Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Recommended properties :

- Impervious gloves in accordance with standard EN374

### Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing :

Wear suitable protective clothing and, in particular, an apron and boots. These items of clothing shall be maintained in good condition and cleaned after use.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

#### **SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES**

### 9.1. Information on basic physical and chemical properties

General information :				
Physical state :	Viscous liquid.			
Important health, safety and environmental information				
pH :	Not relevant.			
Boiling point/boiling range :	Not relevant.			
Flash point interval :	Not relevant.			
Vapour pressure (50°C):	Not relevant.			

#### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) VC 175 - VC17501

VC 173- VC17301	
Density :	= 1
Water solubility :	Insoluble.
Viscosity :	14 mm2/s < v <= 20,5 mm2/s (40°C)
Melting point/melting range :	Not relevant.
Self-ignition temperature :	Not relevant.
Decomposition point/decomposition range :	Not relevant.

## 9.2. Other information

No data available.

## SECTION 10 : STABILITY AND REACTIVITY

## 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

#### 10.3. Possibility of hazardous reactions

No data available.

## 10.4. Conditions to avoid

#### 10.5. Incompatible materials

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)

- carbon dioxide (CO2)

## **SECTION 11 : TOXICOLOGICAL INFORMATION**

#### 11.1. Information on toxicological effects

May cause irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis, following exposure between three minutes and one hour.

Corrosive reactions are typified by ulcers, bleeding, bloody scabs, and, by the end of observation at 14 days, by discolouration due to blanching of the skin, complete areas of alopecia, and scars.

May cause an allergic reaction by skin contact.

#### 11.1.1. Substances

No toxicological data available for the substances.

## 11.1.2. Mixture

No toxicological data available for the mixture.

## **SECTION 12 : ECOLOGICAL INFORMATION**

Toxic to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

### 12.1. Toxicity

#### 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

12.2. Persistence and degradability

No data available.

#### 12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

## 12.5. Results of PBT and vPvB assessment

No data available.

### 12.6. Other adverse effects

No data available.

## **SECTION 13 : DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) VC 175 - VC17501

## Do not pour into drains or waterways.

## Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

#### Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

## **SECTION 14 : TRANSPORT INFORMATION**

Transport product in compliance with provisions of the ADR for road, RID for rail, IMDG for sea and ICAO/IATA for air transport (ADR 2013 - IMDG 2012 - ICAO/IATA 2014).

#### 14.1. UN number

1760

## 14.2. UN proper shipping name

UN1760=CORROSIVE LIQUID, N.O.S. (2-octyl-2h-isothiazol-3-one)

## 14.3. Transport hazard class(es)

- Classification :



8

14.4. Packing group

#### 14.5. Environmental hazards

- Environmentally hazardous material :



#### 14.6. Special precautions for user

ADR/RID	Class	Code	Pack gr.	Label	Ident.	LQ	Provis.	EQ	Cat.	Tunnel
	8	C9	11	8	80	1 L	274	E2	2	E
IMDG	Class	2°Label	Pack gr.	LQ	EMS	Provis.	EQ			
	8	-	П	1 L	F-A,S-B	274	E2			
IATA	Class	2°Label	Pack gr.	Passager	Passager	Cargo	Cargo	note	EQ	
	8	-	11	851	1 L	855	30 L	A3 A803	E2	
	8	-	П	Y840	0.5 L	-	-	A3 A803	E2	

For limited quantities, see part 2.7 of the OACI/IATA and chapter 3.4 of the ADR and IMDG.

For excepted quantities, see part 2.6 of the OACI/IATA and chapter 3.5 of the ADR and IMDG.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available.

## **SECTION 15 : REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

- Classification and labelling information included in section 2:

The following regulations have been used:

- Directive 67/548/EEC and its adaptations
- Directive 1999/45/EC and its adaptations
- EU Regulation No. 1272/2008 amended by EU Regulation No. 487/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 758/2013.
- EU Regulation No. 1272/2008 amended by EU Regulation No. 944/2013.

## SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) VC 175 - VC17501

- EU Regulation No. 1272/2008 amended by EU Regulation No. 605/2014.

## - Container information:

The mixture is contained in packaging that does not exceed 125 ml.

Packaging to be fitted with child-resistant fastenings (see EC Regulation No. 1272/2008, Annex II, Part 3).

Containers to be fitted with a tactile warning of danger (see EC Regulation No. 1272/2008, Annex II, Part 3).

## - Particular provisions :

No data available.

## 15.2. Chemical safety assessment

No data available.

## **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions. It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations. The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

## In compliance with directives 67/548/EEC, 1999/45/EC and their amendments.

Hazard symbols :

R 50/53





Dangerous for the environment

Contains :	
613-112-00-5	2-OCTYL-2H-ISOTHIAZOL-3-ONE
Risk phrase :	
R 51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R 43	May cause sensitisation by skin contact.
R 36/38	Irritating to eyes and skin.
R 20/21	Harmful by inhalation and in contact with skin.
Safety phrase :	
S 2	Keep out of the reach of children.
S 23	Do not breathe gas/fumes/vapours/spray
S 23	Do not breathe vapours
S 23	Do not breathe spray
S 23	Ne pas respirer les vapeurs et aérosols.
S 29	Do not empty into drains.
S 36/37	Wear suitable protective clothing and gloves.
S 46	If swallowed, seek medical advice immediately and show this container or label.
S 13	Keep away from food, drink and animal feedingstuffs.
S 25	Avoid contact with eyes.
S 26	In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S 39	Wear eye/face protection.
S 51	Use only in well-ventilated areas.
S 64	If swallowed, rinse mouth with water (only if the person is conscious).
S 9	Keep container in a well-ventilated place.
Title for H, EUH and	R indications mentioned in section 3 :
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
R 22	Harmful if swallowed.
R 23/24	Toxic by inhalation and in contact with skin.
R 34	Causes burns.
R 43	May cause sensitisation by skin contact

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

May cause sensitisation by skin contact.

#### Abbreviations :

ADR : European agreement concerning the international carriage of dangerous goods by Road.

IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

GHS05 : Corrosion

GHS07 : Exclamation mark

GHS09 : Environment