

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2015/830)

SECTION 1 : IDENTIFICATION OF THE SUBSTANCE/MI	IXTURE AND OF THE COMPANY/UNDERTAKING
1.1. Product identifier	
Product name : STABILISING SOLUTION	
1.2. Relevant identified uses of the substance or mixture and	uses advised against
Waterborne primer	
For building application	
For professionals and DIY	
Use descriptor system (REACH) :	
SU: 21	
SU: 22	
SU: 19	
1.3. Details of the supplier of the safety data sheet	
Registered company name : BEISSIER SAS.	
Address : Quartier de la gare.77760.LA CHAPELLE LA REI	NE.FRANCE.
Telephone : +33 1 60 39 61 10. Fax : +33 1 60 39 61 11.	
beissier.fds@beissier.fr	
www.beissier.fr	
1.4. Emergency telephone number : +33 (0)1 45 42 59 59.	
Association/Organisation : INRS / ORFILA / http://www.cent	tres-antipoison.net.
Other emergency numbers	
Poland :	(12) 411 99 99
UK - National Poisons Information Service Phone :	44 / 191 22 5131
B - Centre Antiposin / Antigifcentrum	Tel : 070/245.245
SECTION 2 : HAZARDS IDENTIFICATION	
2.1. Classification of the substance or mixture	

### In compliance with EC regulation No. 1272/2008 and its amendments.

May produce an allergic reaction (EUH208).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

This mixture does not present an environmental hazard. No known or foreseeable environmental damage under standard conditions of use.

# 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Additional labeling :

ridditional facting.		
EUH208	Contains 1,2-BENZISOTHIAZOL-3(2H)-ONE. May produce an allergic reaction.	
EUH208	Contains MIXTURE OF: 5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-ONE [EC NO. 247-500-7] AND	
	2-METHYL-2HISOTHIAZOL-3-ONE [EC NO. 220-239-6] (3:1). May produce an allergic reaction.	
EUH210	Safety data sheet available on request.	

# 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

# SECTION 3 : COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.2. Mixtures

Waterborne dispersion and additives

# **Composition :**

Identification	(EC) 1272/2008	Note	%
INDEX: 2634_33_5	GHS07, GHS05, GHS09		0 <= x % < 2.5
CAS: 2634-33-5	Dgr		
EC: 220-120-9	Acute Tox. 4, H302		
	Skin Irrit. 2, H315		
1,2-BENZISOTHIAZOL-3(2H)-ONE	Skin Sens. 1, H317		
	Eye Dam. 1, H318		
	Aquatic Acute 1, H400		
	M Acute = 1		
INDEX: 613-167-00-5	GHS06, GHS05, GHS09		0 <= x % < 2.5
CAS: 55965-84-9	Dgr		
	Acute Tox. 3, H331		
MIXTURE OF:	Acute Tox. 3, H311		
5-CHLORO-2-METHYL-4-ISOTHIAZOLIN-3-	Acute Tox. 3, H301		
ONE [EC NO. 247-500-7] AND	Skin Corr. 1B, H314		
2-METHYL-2HISOTHIAZOL-3-ONE [EC NO.	Skin Sens. 1, H317		
220-239-6] (3:1)	Aquatic Acute 1, H400		
	M Acute = $1$		
	Aquatic Chronic 1, H410		
	M Chronic = 1		

### Information on ingredients :

Contains Incan preservatives (TP6) according to Directive UE 528/2012 :

1.2-benzisothiazol-3(2H)-one

bronopol (DCI)

Mixture of chloro-methyl-isothiazolone and methyl-isothiazolone

# **SECTION 4 : FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

# 4.1. Description of first aid measures

In the event of exposure by inhalation :

In the event of an allergic reaction, seek medical attention.

Remove to fresh air

Give nothing by mouth

If the person is unconscious, place in recovery position and call a doctor

# In the event of splashes or contact with eyes :

Refer the patient to an ophthalmologist if it appears pain or visual impairment Rinse immediately with plenty of water for 15 minutes

# In the event of splashes or contact with skin :

In the event of an allergic reaction, seek medical attention.

Remove contaminated clothing

Wash skin thoroughly with water

Do not use solvents or thinners

### In the event of swallowing :

Seek medical attention, showing the label.

Keep at rest. Do not induce vomiting

# 4.2. Most important symptoms and effects, both acute and delayed

No data available.

# 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

# SECTION 5 : FIREFIGHTING MEASURES

Non-flammable.

# 5.1. Extinguishing media

Suitable methods of extinction

In the event of a fire, use :

- multipurpose ABC powder
- sprayed water or water mist

### Unsuitable methods of extinction

In the event of a fire, do not use :

- water jet

#### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxide (NO)
- nitrogen dioxide (NO2)

### **5.3.** Advice for firefighters

Use self-contained breathing apparatus and protective clothing

Prevent effluent from entering sewers or waterways

Cool in closed containers exposed to fire.

# SECTION 6 : ACCIDENTAL RELEASE MEASURES

# 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

Ensure adequate ventilation

Avoid contact with skin and eyes

### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

### **6.2.** Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

# 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

### 6.4. Reference to other sections

Cf 8 & 13

# SECTION 7 : HANDLING AND STORAGE

Requirements relating to storage premises apply to all facilities where the mixture is handled.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

Avoid contact with eyes, skin and inhalation of spray mist

Use in a well ventilated area

### Fire prevention :

Prevent access by unauthorised personnel.

### Recommended equipment and procedures :

For personal protection, see section 8.

Observe precautions stated on label and also industrial safety regulations.

#### Prohibited equipment and procedures :

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

Stock in accordance with the label.

#### Storage

Keep away from frost and heat sources

### Packaging

Always keep in packaging made of an identical material to the original.

Started package must be closed carefully and preserved in vertical position

7.3. Specific end use(s)

No data available.

# SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION

Be sure to provide adequate ventilation

# 8.1. Control parameters

No data available.

8.2. Exposure controls

#### Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE) :



Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

# - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles in accordance with standard EN166.

# - Hand protection

Wear suitable protective gloves in the event of prolonged or repeated skin contact.

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN374.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question : other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended :

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)
- Recommended properties :
- Impervious gloves in accordance with standard EN374

# - Body protection

Work clothing worn by personnel shall be laundered regularly.

### SAFETY DATA SHEET (REGULATION (EC) n° 1907/2006 - REACH) Version : N°2 (27/06/2019) BEISSIER SAS

# STABILISING SOLUTION

After contact with the product, all parts of the body that have been soiled must be washed.

Respiratory protection
In case of airless spraying :
Do not breathe vapors
Ensure adequate ventilation
In case of insufficient ventilation, wear a mask type P2

# SECTION 9 : PHYSICAL AND CHEMICAL PROPERTIES

General information :		
Physical state :	Fluid liquid.	
Odour:	Low emission level	
Color:	Translucent	
Important health, safety and environmental information		
pH :	Not stated.	
	Slightly basic.	
pH (aqueous solution) :	8.5	
Boiling point/boiling range :	Not specified.	
Flash point interval :	Not relevant.	
Vapour pressure (50°C) :	Not relevant.	
Density :	1.00	
Water solubility :	Dilutable.	
Melting point/melting range :	Not specified.	
Self-ignition temperature :	Not specified.	
Decomposition point/decomposition range :	Not specified.	
% VOC :	<0.01	
9.2. Other information		
VOC (g/l) :	0.05	

# SECTION 10 : STABILITY AND REACTIVITY

# 10.1. Reactivity

No data available.

### 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

### 10.4. Conditions to avoid

Avoid :

- frost
- heat

# **10.5. Incompatible materials**

Keep away from :

- strong acids
- strong bases
- strong oxidising agents

### 10.6. Hazardous decomposition products

The thermal decomposition may release/form :

- carbon monoxide (CO)
- carbon dioxide (CO2)
- nitrogen oxide (NO)

- nitrogen dioxide (NO2)

# SECTION 11 : TOXICOLOGICAL INFORMATION

# **11.1. Information on toxicological effects**

No data available.

### 11.1.1. Substances

Presence of biocides for preservation of the product can cause allergies or sensitization in sensitive individuals

#### 11.1.2. Mixture

#### Skin corrosion/skin irritation :

A prolonged or repeated contact with skin or mucous membranes may cause irritation, redness, dermatitis ...

## Serious damage to eyes/eye irritation :

Splashes may cause irritation and reversible damage

#### Respiratory or skin sensitisation :

Contains at least one sensitising substance. May cause an allergic reaction.

# SECTION 12 : ECOLOGICAL INFORMATION

### 12.1. Toxicity

All flow into drains or watercourses should be avoided.

# 12.1.2. Mixtures

No aquatic toxicity data available for the mixture.

### 12.2. Persistence and degradability

### No data available.

# 12.3. Bioaccumulative potential

No data available.

# 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Other adverse effects

No data available.

# SECTION 13 : DISPOSAL CONSIDERATIONS

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

# Waste :

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, preferably via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

# Soiled packaging :

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

# Codes of wastes (Decision 2014/955/EC, Directive 2008/98/EEC on hazardous waste) :

08 01 12 waste paint and varnish other than those mentioned in 08 01 11

### SECTION 14 : TRANSPORT INFORMATION

Exempt from transport classification and labelling. 14.1. UN number

#### 14.2. UN proper shipping name

- 14.3. Transport hazard class(es)
  - -
- 14.4. Packing group
- 14.5. Environmental hazards
- -
- 14.6. Special precautions for user

-

# **SECTION 15 : REGULATORY INFORMATION**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### - Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2016/1179. (ATP 9)
- Container information:

No data available.

- Particular provisions :
  - Directive 2004/42/EC : Limit value (cat. A:h) : 30g/l. This material contains maximum 1g/l

#### 15.2. Chemical safety assessment

No data available.

# **SECTION 16 : OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

Reference : E0423

### Wording of the phrases mentioned in section 3 :

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Abbreviations :

SU 19 - Building and construction work

- SU 21 Consumer uses: Private households (= general public = consumers)
- SU 22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- ADR : European agreement concerning the international carriage of dangerous goods by Road.
- IMDG : International Maritime Dangerous Goods.

IATA : International Air Transport Association.

ICAO : International Civil Aviation Organisation

RID : Regulations concerning the International carriage of Dangerous goods by rail.

WGK : Wassergefahrdungsklasse (Water Hazard Class).

PBT: Persistent, bioaccumulable and toxic.

vPvB : Very persistent, very bioaccumulable.

SVHC : Substances of very high concern.