



Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by UK REACH Regulation SI 2019/758

SAFETY DATA SHEET

BRUSH CLEANER & THINNERS

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier					
GHS product identifier	: BRUSH CLEANER & THINNERS				
1.2. Relevant identified use	of the substance or mixture and uses advised against				
Product use	: Thinner.				
1.3. Details of the supplier	f the safety data sheet				
	ICI Paints AkzoNobel, Wexham Road, Slough, Berkshire, SL2 5DS, U.K. Tel.: +44 (0) 333 222 71 71 www.hammerite.co.uk				
e-mail address of person responsible for this SDS	: hammerite.advice@akzonobel.com				
1.4 Emergency telephone r	Imber				
National advisory body/Po	son Center				
Telephone number	: +44 (0)344 892 0111				
Supplier					
Telephone number	: Emergency Telephone : Slough +44 (0) 1753 550000				
Version Date of previous issue	: 3 : 19-6-2023				
SECTION 2: Hazard	identification				
2.1 Classification of the su	stance or mixture				

Product definition

: Mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Flam. Liq. 3, H226 Eye Dam. 1, H318 STOT SE 3, H336 Asp. Tox. 1, H304

The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended.

See Section 16 for the full text of the H statements declared above.

See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

BRUSH CLEANER & THINNERS

SECTION 2: Hazards identification

Hazard pictograms	
Signal word	: Danger
Hazard statements	 H226 - Flammable liquid and vapor. H304 - May be fatal if swallowed and enters airways. H318 - Causes serious eye damage. H336 - May cause drowsiness or dizziness.
Precautionary statements	
General	: P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	 P280 - Wear eye or face protection. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P271 - Use only outdoors or in a well-ventilated area. P261 - Avoid breathing vapor.
Response	 P304 + P312 - IF INHALED: Call a POISON CENTER or doctor if you feel unwell. P301 + P310 + P331 - IF SWALLOWED: Immediately call a POISON CENTER or doctor. Do NOT induce vomiting. P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for severa minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor.
Storage	 P405 - Store locked up. P403 + P233 - Store in a well-ventilated place. Keep container tightly closed. P403 + P235 - Keep cool.
Disposal	: P501 - Dispose of contents and container in accordance with all local, regional, national or international regulations.
Hazardous ingredients	: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics cyclohexanone
Supplemental label elements	: Repeated exposure may cause skin dryness or cracking.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:
Special packaging requirem	<u>ents</u>
Containers to be fitted with child-resistant fastenings	: Yes, applicable.
Tactile warning of danger	: Yes, applicable.
2.3 Other hazards	
Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII	: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.
Other hazards which do not result in classification	: None known.

BRUSH CLEANER & THINNERS

SECTION 3: Composition/information on ingredients

3.2	Mixtures	
-----	----------	--

: Mixture

Product/ingredient name	Identifiers	%	Classification	Specific Conc. Limits, M-factors and ATEs	Туре
Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, <2% aromatics	REACH #: 01-2119463258-33 EC: 919-857-5	≥90	Flam. Liq. 3, H226 STOT SE 3, H336 Asp. Tox. 1, H304 EUH066	-	[1]
cyclohexanone	REACH #: 01-2119453616-35 EC: 203-631-1 CAS: 108-94-1	<10	Flam. Liq. 3, H226 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Dam. 1, H318	ATE [Oral] = 500 mg/kg ATE [Dermal] = 1100 mg/kg ATE [Inhalation (gases)] = 8000 ppm	[1] [2]
n-butyl acetate	REACH #: 01-2119485493-29 EC: 204-658-1 CAS: 123-86-4 Index: 607-025-00-1	≤3	Flam. Liq. 3, H226 STOT SE 3, H336 EUH066	-	[1] [2]
			See Section 16 for the full text of the H statements declared above.		

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Get medical attention immediately. Call a poison center or doctor. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	: Get medical attention immediately. Call a poison center or doctor. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Skin contact	: Get medical attention immediately. Call a poison center or doctor. Wash skin thoroughly with soap and water or use recognized skin cleanser. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Date of issue/Date of revision

BRUSH CLEANER & THINNERS

SECTION 4: First aid measures

Ingestion	: Get medical attention immediately. Call a poison center or doctor. Wash out mouth with water. Remove dentures if any. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Aspiration hazard if swallowed. Can enter lungs and cause damage. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such
	as a collar, tie, belt or waistband.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Over-exposure signs/symptoms

Eye contact	: Adverse symptoms may include the following: pain watering redness
Inhalation	: Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness
Skin contact	: Adverse symptoms may include the following: pain or irritation redness dryness cracking blistering may occur
Ingestion	: Adverse symptoms may include the following: stomach pains nausea or vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Date of issue/Date of revision	: 18-10-2023	Date of previous issue	:19-6-2023	Version : 3
--------------------------------	--------------	------------------------	------------	-------------

4/19

BRUSH CLEANER & THINNERS			
SECTION 4: First aid	measures		
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.		
Specific treatments	: No specific treatment.		
SECTION 5: Firefigh	ting measures		
5.1 Extinguishing media			
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.		
Unsuitable extinguishing media	: Do not use water jet.		
5.2 Special hazards arising f	rom the substance or mixture		
Hazards from the substance or mixture	: Flammable liquid and vapor. Runoff to sewer may create fire or explosion hazard. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion.		
Hazardous combustion products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide		
5.3 Advice for firefighters			
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.		
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.		

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and materials for	r c	ontainment and cleaning up
Small spill	:	Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

5/19

BRUSH CLEANER & THINNERS

SECTION 6: Accidental release measures

Large spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product.
6.4 Reference to other	: See Section 1 for emergency contact information.

See Section 8 for information on appropriate personal protective equipment. sections See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance.

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not swallow. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Take precautionary measures against electrostatic discharges. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8.2 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

Seveso Directive - Reporting thresholds

Danger criteria

	Notification and MAPP threshold	Safety report threshold
P5c	5000 tonne	50000 tonne

7.3 Specific end use(s)

: Not available.

Recommendations : Not available. Industrial sector specific solutions

BRUSH CLEANER & THINNERS

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values
cyclohexanone	EH40/2005 WELs (United Kingdom (UK), 1/2020). Absorbed through skin. STEL: 20 ppm 15 minutes. TWA: 10 ppm 8 hours. STEL: 82 mg/m ³ 15 minutes. TWA: 41 mg/m ³ 8 hours.
n-butyl acetate	EH40/2005 WELs (United Kingdom (UK), 1/2020). STEL: 966 mg/m ³ 15 minutes. STEL: 200 ppm 15 minutes. TWA: 724 mg/m ³ 8 hours. TWA: 150 ppm 8 hours.

Recommended monitoring procedures If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

Product/ingredient name	Туре	Exposure	Value	Population	Effects
cyclohexanone	DNEL	Short term Dermal	1 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term Dermal	1 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term Oral	1.5 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term Oral	1.5 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term Dermal	4 mg/kg	Workers	Systemic
			bw/day		-
	DNEL	Long term Dermal	4 mg/kg	Workers	Systemic
			bw/day		
	DNEL	Long term	10 mg/m ³	General	Systemic
		Inhalation		population	
	DNEL	Long term	20 mg/m ³	General	Local
		Inhalation		population	
	DNEL	Short term	20 mg/m ³	General	Systemic
		Inhalation		population	
	DNEL	Short term	40 mg/m ³	General	Local
		Inhalation		population	
	DNEL	Long term	40 mg/m ³	Workers	Local
		Inhalation			
	DNEL	Long term	40 mg/m ³	Workers	Systemic
e of issue/Date of revision : 18	-10-2023	Date of previous issue	:19-6-20)23 I	/ersion :3

BRUSH CLEANER & THINNERS

SECTION 8: Exposure controls/personal protection

•		Inhalation			
	DNEL	Short term	80 mg/m³	Workers	Local
		Inhalation	co mg/m		Loodi
	DNEL	Short term	80 mg/m³	Workers	Systemic
		Inhalation	e eg,		-)
n-butyl acetate	DNEL	Short term Oral	2 mg/kg	General	Systemic
-			bw/day	population	-
	DNEL	Long term Oral	2 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term Dermal	3.4 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Short term Dermal	6 mg/kg	General	Systemic
			bw/day	population	
	DNEL	Long term Dermal	7 mg/kg	Workers	Systemic
			bw/day	14/	O verte verte
	DNEL	Short term Dermal	11 mg/kg	Workers	Systemic
	DNEL	Long term	bw/day 12 mg/m³	General	Systemic
	DINLL	Inhalation	12 mg/m	population	Systemic
	DNEL	Long term	35.7 mg/m³		Local
	DILLE	Inhalation	00.7 mg/m	population	Loodi
	DNEL	Long term	48 mg/m³	Workers	Systemic
		Inhalation	5		5
	DNEL	Short term	300 mg/m³	General	Local
		Inhalation	C C	population	
	DNEL	Short term	300 mg/m³	General	Systemic
		Inhalation		population	
	DNEL	Long term	300 mg/m³	Workers	Local
		Inhalation			
	DNEL	Short term	600 mg/m ³	Workers	Local
		Inhalation			
	DNEL	Short term	600 mg/m³	Workers	Systemic
		Inhalation			

PNECs

No PNECs available.

8.2 Exposure	controls
--------------	----------

Appropriate engineering controls	: Use only with adequate ventilation. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.
Individual protection measure	<u>es</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead.
Skin protection	

BRUSH CLEANER & THINNERS

SECTION 8: Exposure controls/personal protection

Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.
		When prolonged or frequently repeated contact may occur, a glove with a protection class of 6 (breakthrough time >480 minutes according to EN374) is recommended. Recommended gloves: Viton ® or Nitrile, thickness \geq 0.38 mm. When only brief contact is expected, a glove with protection class of 2 or higher (breakthrough time >30 minutes according to EN374) is recommended. Recommended gloves: Nitrile, thickness \geq 0.12 mm. Gloves should be replaced regularly and if there is any sign of damage to the glove material.
		The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.
		The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. When there is a risk of ignition from static electricity, wear anti-static protective clothing. For the greatest protection from static discharges, clothing should include anti-static overalls, boots and gloves. Refer to European Standard EN 1149 for further information on material and design requirements and test methods.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

9.1 Information on basic physical and chemical properties

<u>Appearance</u>	
Physical state	: Liquid.
Color	: Various: See label.
Odor	: Not available.
Odor threshold	: Not available.
Melting point/freezing point	: Not available.
Boiling point, initial boiling point, and boiling range	: 149°C (300.2°F)
Flammability	: Not available.

BRUSH CLEANER & THINNERS

SECTION 9: Physical and chemical properties

Lower and upper explosion : Not available. limit

÷

Flash point

: Closed cup: 35°C (95°F) [Pensky-Martens]

Auto-ignition temperature

Ingredient name	°C	°F	Method	
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	280 to 470	536 to 878		
n-butyl acetate	415	779	EU A.15	
cyclohexanone	420	788		

Decomposition temperature : Not available.

рН	: Not applicable. [DIN EN 1262]
Viscosity	 Kinematic (room temperature): 13 mm²/s [DIN EN ISO 3219] Kinematic (40°C): 1 mm²/s [DIN EN ISO 3219]
Solubility(ies)	:

Solubility(ies)

Media	Result
cold water	Not soluble [OESO (TG 105)]

Partition coefficient: n-octanol/ : Not applicable. water

1

Vapor pressure

μm

	Va	por Pressu	ire at 20°C	Vapor pressure at 50°C		
Ingredient name	mm Hg kPa N		Method	mm Hg	kPa	Method
n-butyl acetate	11.25	1.5	DIN EN 13016-2			
cyclohexanone	3.75	0.5				
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics		0.1 to 0.3				
elative density	: 0.778	3				
Density	: 0.778	3 g/cm³ [DIN	NEN ISO 2811-1]			
apor density	: Not a	vailable.				
article characteristics						
Median particle size	: Not a	applicable.				
Percentage of particles with aerodynamic diameter ≤ 10	n : 0					

SECTION 10: Stability and reactivity

10.1 Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	: The product is stable.
10.3 Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.

Date of issue/Date of revision

BRUSH CLEANER & THIN	NERS
SECTION 10: Stabilit	y and reactivity
10.5 Incompatible materials	: Reactive or incompatible with the following materials: oxidizing materials
10.6 Hazardous decomposition products	 Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

There are no data available on the mixture itself. The mixture has been assessed following the conventional method of the CLP Regulation (EC) No 1272/2008 and is classified for toxicological properties accordingly. See Sections 2 and 3 for details.

Exposure to component solvent vapor concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin.

If splashed in the eyes, the liquid may cause irritation and reversible damage.

Ingestion may cause nausea, diarrhea and vomiting.

This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Acute	toxicity

ałkanes, isoalkanes, cyclics, <2% aromatics LD50 Oral LC50 Inhalation Gas. LD50 Dermal LD50 Dermal LD50 Intraperitoneal LD50 Intraperitoneal LD50 Intraperitoneal LD50 Intraperitoneal LD50 Intraperitoneal LD50 Intraperitoneal LD50 Intraperitoneal Rat LD50 Oral LD50 Oral Rat LD50 Intraperitoneal Rat LD50 Oral Rat LD50 Oral Rat LD50 Oral Rat LD50 Oral Rat LD50 Oral Rat LD50 Intraperitoneal Rat LD50 Oral Rat LD50 Oral Rat LD50 Oral Rat LD50 Intraperitoneal Rat LD50 Oral Rat LD50 Intraperitoneal Rat LD50 Intraperitoneal Rat S68 mg LD10 Intravenous Rat S68 mg Rat S68 mg	ose Exposure	Dose	Result	Product/ingredient name
<2% aromatics LD50 Oral LD50 Oral LC50 Inhalation Gas. Rat 8000 p LD50 Dermal LD50 Intraperitoneal Guinea pig 930 mg UD50 Intraperitoneal LD50 Intraperitoneal Mouse 1230 n LD50 Intraperitoneal Rabbit 1540 n LD50 Intraperitoneal Rabbit 1540 n LD50 Intraperitoneal Rat 1130 n LD50 Oral Rat 1200 n Rat 1200 n Rat 130 n 130 n 130 n 150 Intraperitoneal Rat 1130 n LD50 Intraperitoneal Rat 1400 n LD50 Oral Rat 1400 n LD50 Oral Rat 1600 ng LD10 Intravenous LD10 Intravenous Rat 268 ng 284 ng LDLo Intravenous Rat 268 ng 760 ng LDL0 Intravenous Rat 269 ng 760 ng LDL0 Intravenous Rat 568 ng LDL0 Intravenous Rat 568 ng 100 n LDL0 Subcutaneous Frog 190 n TDLo Oral Pig 190 n TDLo Oral Pig 190 n 190 n 100 n 1	g/m ³ 4 hours	8500 mg/m ³	LC50 Inhalation Vapor	Hydrocarbons, C9-C11, n-
LD50 OralRat>6 g/kgLC50 Inhalation Gas.Rat8000 pLD50 DermalRabbit1 mL/kLD50 IntraperitonealGuinea pig930 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealRabbit1540 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 OralMammal -3 g/kgspeciesunspecifiedLD50 OralRat1620 ugLD50 IntraperitonealGuinea pigLDLo IntravenousRat568 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mgLDLo OralRabbit1600 mgLDLo SubcutaneousFrog1900 mgLDLo OralPig1300 mgLDLO OralPig1300 mg	č	Ũ		
cyclohexanoneLC50 Inhalation Gas.Rat800 pLD50 DermalRabbit1 mL/kLD50 IntraperitonealGuinea pig930 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealMouse1230 mgLD50 IntraperitonealRabbit1540 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1130 mgLD50 IntraperitonealRat1100 mgLD50 OralMammal -3 g/kgSpeciesunspecifiedLD50 OralRat1620 ugLD50 OralRat1620 ugLD50 OralRat1620 ugLD50 SubcutaneousRat2170 mgLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo OralRabbit1600 mgLDLo OralRabbit1600 mgLDLo OralRabbit1600 mgLDLo SubcutaneousFrog1900 mgLDLo SubcutaneousFrog1900 mgLDLo OralPig130 mgLDLo OralPig130 mg				
LD50 Dermal Rabbit 1 mL/k LD50 Intraperitoneal Guinea pig 930 mg LD50 Intraperitoneal Mouse 1230 m LD50 Intraperitoneal Mouse 1230 m LD50 Intraperitoneal Rabbit 1540 m LD50 Intraperitoneal Rabbit 1540 m LD50 Intraperitoneal Rat 1130 m LD50 Intraperitoneal Rat 1130 m LD50 Intraperitoneal Rat 1130 m LD50 Oral Rat 1300 m LD50 Oral Mammal - 3 g/kg species unspecified Mouse 1400 m LD50 Oral Rat 1800 m LD50 Oral Rat 1800 m LD50 Oral Rat 1620 u LD50 Oral Rat 1620 u LD50 Subcutaneous Rat 2170 m LDL0 Intraperitoneal Guinea pig 760 mg LDL0 Intravenous Monkey 284 mg LDL0 Intravenous Rat 568 mg LDL0 Intravenous Rat 568 mg LDL0 Intravenous Frog 1900 m LDL0 Oral Rabbit 1600 m LDL0 Subcutaneous Frog 1900 m LDL0 Subcutaneous Frog 1900 m LDL0 Subcutaneous Frog 1900 m LDL0 Subcutaneous Mouse 1300 m	-	>6 g/kg	LD50 Oral	
LD50 Dermal Rabbit 1 mL/k LD50 Intraperitoneal Guinea pig 930 mg LD50 Intraperitoneal Mouse 1230 m LD50 Intraperitoneal Mouse 1230 m LD50 Intraperitoneal Rabbit 1540 m LD50 Intraperitoneal Rabbit 1540 m LD50 Intraperitoneal Rat 1130 m LD50 Intraperitoneal Rat 1130 m LD50 Intraperitoneal Rat 1130 m LD50 Oral Rat 1300 m LD50 Oral Mammal - 3 g/kg species unspecified Mouse 1400 m LD50 Oral Rat 1800 m LD50 Oral Rat 1800 m LD50 Oral Rat 1620 u LD50 Oral Rat 1620 u LD50 Subcutaneous Rat 2170 m LDL0 Intraperitoneal Guinea pig 760 mg LDL0 Intravenous Monkey 284 mg LDL0 Intravenous Rat 568 mg LDL0 Intravenous Rat 568 mg LDL0 Intravenous Frog 1900 m LDL0 Oral Rabbit 1600 m LDL0 Subcutaneous Frog 1900 m LDL0 Subcutaneous Frog 1900 m LDL0 Subcutaneous Frog 1900 m LDL0 Subcutaneous Mouse 1300 m	om 4 hours	8000 ppm	LC50 Inhalation Gas.	cyclohexanone
LD50 IntraperitonealMouse1230 mLD50 IntraperitonealMouse1230 mLD50 IntraperitonealRabbit1540 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 OralMammal -3 g/kgspeciesunspecifiedLD50 OralMouse1400 mLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1600 mLD50 SubcutaneousRat568 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo OralPig1 g/kg		1 mL/kg	LD50 Dermal	
LD50 IntraperitonealMouse1230 mLD50 IntraperitonealMouse1230 mLD50 IntraperitonealRabbit1540 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 OralMammal -3 g/kgspeciesunspecifiedLD50 OralMouse1400 mLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1600 mLD50 SubcutaneousRat568 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo OralPig1 g/kg	/kg -	930 mg/kg	LD50 Intraperitoneal	
LD50 IntraperitonealMouse1230 mLD50 IntraperitonealRabbit1540 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 OralMammal -3 g/kgspeciesunspecifiedLD50 OralMouse1400 mLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat1620 uLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo OralPig1 g/kg	g/kg -	1230 mg/kg	LD50 Intraperitoneal	
LD50 IntraperitonealRabbit1540 mLD50 IntraperitonealRabbit1540 mLD50 IntraperitonealRat1130 mLD50 IntraperitonealRat1130 mLD50 OralMammal -3 g/kgspeciesunspecifiedUD50 OralMouse1400 mLD50 OralRat1800 mLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat2170 mLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralHuman1400 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousMouse1300 mLDLo OralPig1 g/kg		1230 mg/kg	LD50 Intraperitoneal	
LD50 Intraperitoneal LD50 IntraperitonealRabbit1540 mLD50 Intraperitoneal LD50 IntraperitonealRat1130 mLD50 OralMammal - species unspecified3 g/kgLD50 OralMouse1400 mLD50 OralRat1800 mLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat2170 mLD50 SubcutaneousRat2170 mLDL0 IntraperitonealGuinea pig760 mgLDL0 IntravenousMonkey284 mgLDL0 IntravenousRat568 mgLDL0 OralHuman714.3 mLDL0 OralRabbit1600 mLDL0 SubcutaneousFrog1900 mLDL0 SubcutaneousFrog1900 mLDL0 SubcutaneousFrog1900 mLDL0 SubcutaneousFrog1900 mLDL0 OralPig1 g/kg	g/kg -	1540 mg/kg	LD50 Intraperitoneal	
LD50 Intraperitoneal LD50 IntraperitonealRat1130 mLD50 Intraperitoneal LD50 OralRat1130 mLD50 OralMammal - Species unspecified3 g/kgLD50 OralMouse1400 mLD50 OralRat1800 mLD50 OralRat1620 uLD50 OralRat1620 uLD50 OralRat2170 mLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo OralPig1 g/kg		1540 mg/kg	LD50 Intraperitoneal	
LD50 OralMammal - species unspecified3 g/kgLD50 OralMouse1400 mLD50 OralMouse1400 mLD50 OralRat1800 mLD50 OralRat1620 uLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousMouse1300 mLDLo OralPig1 g/kg		1130 mg/kg	LD50 Intraperitoneal	
LD50 Oralspecies unspecifiedLD50 OralMouseLD50 OralRatLD50 OralRatLD50 OralRatLD50 SubcutaneousRatLDL0 IntraperitonealGuinea pigLDL0 IntravenousMonkeyLDL0 IntravenousRatLDL0 IntravenousRatLDL0 OralHumanLDL0 OralHumanLDL0 OralRabbitLDL0 SubcutaneousFrogLDL0 SubcutaneousFrogLDL0 OralFrogLDL0 SubcutaneousFrogLDL0 SubcutaneousFrogLDL0 OralJ300 mLDL0 OralPigLDL0 OralPig	g/kg -	1130 mg/kg	LD50 Intraperitoneal	
LD50 Oral Mouse 1400 m LD50 Oral Rat 1800 m LD50 Oral Rat 1620 u LD50 Subcutaneous Rat 2170 m LDL0 Intraperitoneal Guinea pig 760 m LDL0 Intravenous Monkey 284 m LDL0 Intravenous Rat 568 m LDL0 Intravenous Rat 568 m LDL0 Oral Human 714.3 m LDL0 Oral Human 714.3 m LDL0 Oral Rabbit 1600 m LDL0 Subcutaneous Frog 1900 m LDL0 Subcutaneous Mouse 1300 m TDL0 Oral Pig 1 g/kg	-	3 g/kg	LD50 Oral	
LD50 OralMouse1400 mLD50 OralRat1800 mLD50 OralRat1620 uLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousFrog1300 mTDLo OralPig1 g/kg				
LD50 OralRat1800 mLD50 OralRat1620 uLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousMouse1300 mTDLo OralPig1 g/kg				
LD50 OralRat1800 mLD50 OralRat1620 uLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousMouse1300 mTDLo OralPig1 g/kg	g/kg -	1400 mg/kg	LD50 Oral	
LD50 OralRat1620 uLD50 SubcutaneousRat2170 mLDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mLDLo OralRabbit1600 mLDLo SubcutaneousFrog1900 mLDLo SubcutaneousMouse1300 mTDLo OralPig1 g/kg		1800 mg/kg	LD50 Oral	
LDLo IntraperitonealGuinea pig760 mgLDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mgLDLo OralRabbit1600 mgLDLo SubcutaneousFrog1900 mgLDLo SubcutaneousMouse1300 mgTDLo OralPig1 g/kg		1620 uL/kg	LD50 Oral	
LDLo IntravenousMonkey284 mgLDLo IntravenousRat568 mgLDLo OralHuman714.3 mgLDLo OralRabbit1600 mgLDLo SubcutaneousFrog1900 mgLDLo SubcutaneousMouse1300 mgTDLo OralPig1 g/kg	g/kg -	2170 mg/kg	LD50 Subcutaneous	
LDLo IntravenousRat568 mgLDLo OralHuman714.3 mgLDLo OralRabbit1600 mgLDLo SubcutaneousFrog1900 mgLDLo SubcutaneousMouse1300 mgTDLo OralPig1 g/kg	/kg -	760 mg/kg	LDLo Intraperitoneal	
LDLo OralHuman714.3 rLDLo OralRabbit1600 nLDLo SubcutaneousFrog1900 nLDLo SubcutaneousMouse1300 nTDLo OralPig1 g/kg	/kg -	284 mg/kg	LDLo Intravenous	
LDLo OralHuman714.3 rLDLo OralRabbit1600 nLDLo SubcutaneousFrog1900 nLDLo SubcutaneousMouse1300 nTDLo OralPig1 g/kg	/kg -	568 mg/kg	LDLo Intravenous	
LDLo SubcutaneousFrog1900 mLDLo SubcutaneousMouse1300 mTDLo OralPig1 g/kg	ıg/kg -	714.3 mg/kg	LDLo Oral	
LDLo Subcutaneous Mouse 1300 m TDLo Oral Pig 1 g/kg		1600 mg/kg	LDLo Oral	
TDLo Oral Pig 1 g/kg	g/kg -	1900 mg/kg	LDLo Subcutaneous	
	g/kg -	1300 mg/kg	LDLo Subcutaneous	
	-		TDLo Oral	
		>17600 mg/kg		n-butyl acetate
LD50 Intraperitoneal Mouse 1230 n	g/kg -	1230 mg/kg	LD50 Intraperitoneal	

BRUSH CLEANER & THINNERS

SECTION 11: Toxicological information

•			
LD50 Oral	Guinea pig	4700 mg/kg	-
LD50 Oral	Mammal -	4300 mg/kg	-
	species		
	unspecified		
LD50 Oral	Mouse	6 g/kg	-
LD50 Oral	Rabbit	3200 mg/kg	-
LD50 Oral	Rat	10768 mg/kg	-
LD50 Route of exposure	Mammal -	1592 mg/kg	-
unreported	species		
	unspecified		
LDLo Intramuscular	Guinea pig	2648 mg/kg	-
LDLo Intraperitoneal	Guinea pig	1500 mg/kg	-

Conclusion/Summary : Not available.

Acute toxicity estimates

Product/ingredient name	Oral (mg/ kg)	Dermal (mg/kg)	Inhalation (gases) (ppm)	Inhalation (vapors) (mg/l)	Inhalation (dusts and mists) (mg/l)
91125	10000	22000	160000	N/A	N/A
cyclohexanone	500	1100	8000	N/A	N/A

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
cyclohexanone	Eyes - Severe irritant	Rabbit	-	20 mg	-
-	Eyes - Severe irritant	Rabbit	-	24 hours 250	-
				ug	
	Skin - Mild irritant	Human	-	48 hours 50	-
				%	
	Skin - Mild irritant	Rabbit	-	500 mg	-
n-butyl acetate	Eyes - Moderate irritant	Rabbit	-	100 mg	-
-	Skin - Moderate irritant	Rabbit	-	24 hours 500	-
				mg	
Conclusion/Summary	: Not available.	·			
Sensitization					

<u>Sensitization</u>		
Conclusion/Summary	:	Not available.
<u>Mutagenicity</u>		
Conclusion/Summary	:	Not available.
Carcinogenicity		
Conclusion/Summary	:	Not available.
Reproductive toxicity		
Conclusion/Summary	:	Not available.
<u>Teratogenicity</u>		
Conclusion/Summary	:	Not available.
Specific target organ toxicity	/ (:	single exposure)

Product/ingredient name	Category	Route of exposure	Target organs
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <a>	Category 3	-	Narcotic effects
n-butyl acetate	Category 3	-	Narcotic effects

Specific target organ toxicity (repeated exposure)

Not available.

BRUSH CLEANER & THINNERS

SECTION 11: Toxicological information

Aspiration hazard

Product/ingredient name	Result
Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	ASPIRATION HAZARD - Category 1

Information on the likely	: Not available.	
routes of exposure <u>Potential acute health effects</u>		
	_	
Eye contact Inhalation	Causes serious eye damage.	
innalation	: Can cause central nervous system (CNS) depression. May cause drowsiness or dizziness.	
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.	
Ingestion	: Can cause central nervous system (CNS) depression. May be fatal if swallowed and enters airways.	
Symptoms related to the phy	vsical, chemical and toxicological characteristics	
Eye contact	: Adverse symptoms may include the following: pain watering redness	
Inhalation	: Adverse symptoms may include the following: nausea or vomiting headache drowsiness/fatigue dizziness/vertigo unconsciousness	
Skin contact	: Adverse symptoms may include the following: pain or irritation redness dryness cracking blistering may occur	
Ingestion	: Adverse symptoms may include the following: stomach pains nausea or vomiting	
	ts and also chronic effects from short and long term exposure	
<u>Short term exposure</u>		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Long term exposure		
Potential immediate effects	: Not available.	
Potential delayed effects	: Not available.	
Potential chronic health eff	<u>ects</u>	
Not available.		
Conclusion/Summary	: Not available.	
General	: Prolonged or repeated contact can defat the skin and lead to irritation, cracking and or dermatitis.	1/
Date of issue/Date of revision	: 18-10-2023 Date of previous issue : 19-6-2023 Version : 3 13/	/19

BRUSH CLEANER & THINNERS

SECTION 11: Toxicological inform	ation
---	-------

Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Reproductive toxicity	: No known significant effects or critical hazards.

11.2 Information on other hazards

11.2.1 Endocrine disrupting properties

Not available.

11.2.2 Other information

No additional information.

SECTION 12: Ecological information

12.1 Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment.

Product/ingredient name	Result	Species	Exposure
cyclohexanone	Acute EC50 32.9 mg/l	Algae - Chlamydomonas reinhardtii - Exponential growth phase	72 hours
	Acute LC50 630000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute LC50 527000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Acute LC50 732000 µg/l Fresh water	Fish - Pimephales promelas	96 hours
	Chronic EC10 3.56 mg/l	Algae - Chlamydomonas reinhardtii - Exponential growth phase	72 hours
n-butyl acetate	Acute LC50 32 mg/l Marine water	Crustaceans - Artemia salina	48 hours
	Acute LC50 62000 µg/l Fresh water	Fish - Danio rerio	96 hours
	Acute LC50 100000 µg/l Fresh water	Fish - Lepomis macrochirus	96 hours
	Acute LC50 185000 µg/l Marine water	Fish - Menidia beryllina	96 hours
	Acute LC50 18000 µg/l Fresh water	Fish - Pimephales promelas	96 hours

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Conclusion/Summary : Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Hydrocarbons, C9-C11, n- alkanes, isoalkanes, cyclics, <2% aromatics	-	10 to 2500	high
cyclohexanone n-butyl acetate	0.86 2.3	-	low low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

BRUSH CLEANER & THINNERS

SECTION 12: Ecological information

12.5 Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

12.6 Endocrine disrupting properties

Not available.

12.7 Other adverse effects

No known significant effects or critical hazards.

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

<u>Product</u>	
Methods of disposal	: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	: The classification of the product may meet the criteria for a hazardous waste.
Disposal considerations	: Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.

European waste catalogue (EWC)

The European Waste Catalogue classification of this product, when disposed of as waste, is:

Waste code	Waste designation
EWC 08 01 99	wastes not otherwise specified
Packaging	
Methods of disposal	 The generation of waste should be avoided or minimized wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Disposal considerations	 Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.
Special precautions	: This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

BRUSH CLEANER & THINNERS

SECTION 14: Transport information

	ADR/RID	IMDG
14.1 UN number or ID number	UN1263	UN1263
14.2 UN proper shipping name	PAINT RELATED MATERIAL	PAINT RELATED MATERIAL
14.3 Transport hazard class(es)	3	3
14.4 Packing group	Ш	111
14.5 Environmental hazards	No.	No.

ADR/RID	:
IMDG	:

: <u>Tunnel code</u> (D/E)

: Emergency schedules F-E, S-E

14.6 Special precautions for user: **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk	:	Not available.
according to IMO		
instruments		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

UK (GB) /REACH

Annex XIV - List of substances subject to authorization

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	: Not applicable.
Other EU regulations	
VOC	: The provisions of Directive 2004/42/EC on VOC apply to this product. Refer to the product label and/or technical data sheet for further information.
VOC for Ready-for-Use Mixture	: Not available.
Industrial emissions (integrated pollution prevention and control) - Air	: Not listed

BRUSH CLEANER & THINNERS

SECTION 15: Regulatory information

Industrial emissions : Not listed (integrated pollution prevention and control) -

Water

Ozone depleting substances (1005/2009/EU)

Not listed.

Prior Informed Consent (PIC) (649/2012/EU)

Not listed.

Persistent Organic Pollutants

Not listed.

Seveso Directive

This product is controlled under the Seveso Directive.

Danger criteria

Category P5c

1.00

National regulations

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

Montreal Protocol

Not listed.

Stockholm Convention on Persistent Organic Pollutants

Not listed.

Rotterdam Convention on Prior Informed Consent (PIC)

Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical Safety : No Chemical Safety Assessment has been carried out.

Assessment

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	N/A = Not available
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	SGG = Segregation Group
	vPvB = Very Persistent and Very Bioaccumulative
– – – – – – – – – – – – – – – – – – –	

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Date of issue/Date of revision	: 18-10-2023	Date of previous issue	: 19-6-2023	Version : 3	17/19	
--------------------------------	--------------	------------------------	-------------	-------------	-------	--

BRUSH CLEANER & THINNERS

SECTION 16: Other information

Classification	Justification
Flam. Liq. 3, H226	On basis of test data
Eye Dam. 1, H318	Calculation method
STOT SE 3, H336	Calculation method
Asp. Tox. 1, H304	Calculation method

Full text of abbreviated H statements

H304May be fatal if swallowed and enters airways.H312Harmful in contact with skin.H315Causes skin irritation.H318Causes serious eye damage.H332Harmful if inhaled.H336May cause drowsiness or dizziness.	Causes skin irritation. Causes serious eye damage. Harmful if inhaled.	H315 H318 H332
--	--	----------------------

Full text of classifications [CLP/GHS]

Acute Tox. 4	ACUTE TOXICITY - Category 4
Asp. Tox. 1	ASPIRATION HAZARD - Category 1
Eye Dam. 1	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1
Flam. Liq. 3	FLAMMABLE LIQUIDS - Category 3
Skin Irrit. 2	SKIN CORROSION/IRRITATION - Category 2
STOT SE 3	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) -
	Category 3

Date of printing	: 18-10-2023
Date of issue/ Date of revision	: 18-10-2023
Date of previous issue	: 19-6-2023
Version	: 3

Notice to reader

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Safety Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

Head Office

AkzoNobel Decorative Coatings BV, Christian Neefestraat 2, 1077 WW Amsterdam, The Netherlands

BRUSH CLEANER & THINNERS