



MATERIAL SAFETY DATA SHEET

Revised 5th November 2020

PATENT KNOTTING

SECTION 1: IDENTIFICATION OF SUBSTANCE/PREPARATION & COMPANY

1.1 Product identifier

Product name: **KNOTTING SOLUTION**

1.2 Relevant identified uses of the substance or mixture and uses advised against

1.3 Details of the supplier of the safety data sheet

Company name: R.K.& J.Jones Ltd
 Southery Road,
 Feltwell,
 Thetford,
 Norfolk
 IP26 4EH.
 Tel: 01842 828101
 Fax: 01842 828171
 Email: sales@birdbrand.co.uk

Emergency Tel: 01223 968282

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

Classification under CHIP:

Classification under CLP: Flam. Liq. 2: H225; STOT SE 2: H371

Most important adverse effects: Highly flammable liquid and vapour. May cause damage to organs.

2.2 Label Elements

Label elements:

Hazard statements: H225: Highly flammable liquid and vapour.
 H371: May cause damage to organs.

Hazard pictograms: GHS02: Flame
 GHS08: Health hazard



Signal words: Danger

Precautionary statements: P102: Keep out of reach of children
 P210: Keep away from heat/sparks/open flames/hot surfaces and other ignition sources. No smoking.
 P241: Use explosion-proof electrical/ventilating/lighting/... equipment.
 P260: Do not breathe dust/fumes/gas/mist/vapours/spray.
 P280: Wear protective gloves.
 P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.

2.3 Other hazards

Other hazards: In use, may form flammable/explosive dust-air mixture.
PBT: This product is not identified as a PBT/vPvB substance.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Hazardous ingredients:

ETHANOL

EINECS	CAS	CHIP Classification	CLP Classification	Percent
200-578-6	64-17-5	Substance with a Community Workplace exposure limit	Flam.Liq. 2: H225	50-70%

METHANOL

200-659-6	67-56-1	-	Flam.liq.2:H225;AcuteTox.3:H331 AcuteTox 3:H311;Acutetox3:H301 STOT SE 1: H370	1-10%
-----------	---------	---	--------------------------------------------------------------------------------------	-------

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Skin contact: Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Transfer to hospital if there are burns or symptoms of poisoning.

Eye Contact: Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.

Ingestion: Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. If unconscious, check for breathing and apply artificial respiration if necessary. If unconscious and breathing is OK, place in the recovery position. Transfer to hospital as soon as possible.

Inhalation: Remove casualty from exposure ensuring one's own safety whilst doing so. If conscious, ensure the casualty sits or lies down. If unconscious and breathing is OK, place in the recovery position. If unconscious, check for breathing and apply artificial respiration if necessary. If breathing becomes bubbly, have the casualty sit and provide oxygen if available. Transfer to hospital as soon as possible.

4.2 Most important symptoms and effects, both acute and delayed

Skin contact: There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal at the site of contact.

Eye contact: There may be irritation and redness. The eyes may water profusely.

Ingestion: There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

Inhalation: There may be irritation of the throat with a feeling of tightness in the chest.

Delayed/immediate effects: Immediate effects can be expected after short-term exposure.

4.3 Indication of any immediate medical attention and special treatment needed

Immediate/special treatment: Not applicable

SECTION 5: FIRE FIGHTING MEASURES

5.1 Extinguishing Media

Extinguishing media: Alcohol or polymer foam. Carbon dioxide. Dry chemical powder. Use water spray to cool containers.

5.2 Special hazards arising from the substance or mixture

Exposure hazards: Highly flammable. In combustion emits toxic fumes. Forms explosive air-vapour mixture. Vapour may travel considerable distance to source

of ignition and flash back.

5.3 Advice for firefighters

Advice for firefighters:

Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions:

Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid. Eliminate all sources of ignition. Notify the police and fire brigade immediately.

6.2 Environmental precautions:

Environmental precautions:

Do not discharge into drains or rivers. Contain the spillage using bunding. Alert the neighbourhood to the presence of fumes or gas.

6.3 Methods and material for containment and cleaning up

Clean up procedures:

Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method. Do not use equipment in clean-up procedure which may product sparks.

6.4 Reference to other sections

Reference to other sections:

Refer to section 8 of SDS.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Handling Requirements:

Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air. Smoking is forbidden. Use non-sparking tools.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions:

Store in cool, well-ventilated area. Keep container tightly closed. Keep away from sources of ignition. Prevent the build-up of electrostatic charge in the immediate area. Ensure lighting and electrical equipment are not a source of ignition.

7.3 Specific end use(s)

Specific end use(s):

No data available.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

8.1 Control parameters

Hazardous ingredients:

ETHANOL

Workplace exposure limits:

Respirable dust

State	8 hour TWA	15min. STEL	8 hour TWA	15 min. STEL
UK	1920 mg/m ³			

METHANOL

UK	266 mg/m ³	333 mg/m ³		
----	-----------------------	-----------------------	--	--

DNEL/PNEC

No data available

8.2 Exposure controls

Engineering measures:

Ensure there is sufficient ventilation of the area. Ensure lighting and electrical equipment are not a source of ignition.

Respiratory protection: Self-contained breathing apparatus must be available in case of emergency.

Hand protection: Impermeable gloves.

Eye protection: Safety glasses. Ensure eye bath is to hand.

Skin protection: Impermeable protective clothing.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

State: Liquid

Colour: Brown

Odour: Alcoholic

Evaporation rate: Not determined

Oxidising: Non-oxidising (by EC criteria)

Solubility in water: Slightly soluble

Viscosity: Non-viscous

Boiling point/range°C: 78

Flash point°C: 18

Autoflammability°C: 365

Vapour pressure: 28bar (20°C)

Relative density: 0.8-0.9

9.2 Other information

Other information: No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Reactivity: Stable under recommended transport or storage conditions.

10.2 Chemical stability

Chemical stability: Stable under normal conditions. Stable at room temperature.

10.3 Possibility of hazardous reactions

Hazardous reactions: Hazardous reactions will not occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below.

10.4 Conditions to avoid

Conditions to avoid: Heat. Hot surfaces. Sources of ignition. Flames.

10.5 Incompatible materials

Materials to avoid: Strong oxidising agents. Strong acids.

10.6 Hazardous decomp.products

Haz.decomp.products: In combustion emits toxic fumes.

SECTION 11: TOXICOLOGICAL INFORMATION

Hazardous ingredients:

ETHANOL

IVN	RAT	LD50	1440	Mg/kg
ORL	MUS	LD50	3450	Mg/kg
ORL	RAT	LD50	7060	Mg/kg

METHANOL

IVN	RAT	LD50	2131	Mg/kg
ORL	MUS	LD50	7300	Mg/kg

ORL	RAT	LD50	5628	Mg/kg
-----	-----	------	------	-------

Relevant effects for mixture:

Effect	Route	Basis
STOT-single exposure	-	Hazardous: calculated

Symptoms/routes of exposure

Skin contact:	There may be redness or whiteness of the skin in the area of exposure. Irritation or pain may occur at the site of contact. Absorption through the skin may be fatal.
Eye contact:	There may be severe pain. The eyes may water profusely.
Ingestion:	There may be soreness and redness of the mouth and throat. There may be vomiting. Convulsions may occur. There may be loss of consciousness.
Inhalation:	There may be shortness of breath with a burning sensation in the throat. Absorption through the lungs can occur causing symptoms similar to those of ingestion. Convulsions may occur. There may be loss of consciousness.
Delayed/immediate effects:	Immediate effects can be expected after short-term exposure.

SECTION 12: ECOLOGICAL INFORMATION**12.1 Toxicity**

Ecotoxicity values: No data available.

12.2 Persistence and degradability

Persistence and degradability: Biodegradable.

12.3 Bioaccumulative potential

Bioaccumulative potential: No bioaccumulation potential.

12.4 Mobility in soil

Mobility: Readily absorbed into soil.

12.5 Results of PBT and vPvB assessment

PBT identification: This product is not identified as a PBT/vPvB substance.

12.6 Other adverse effects

Other adverse effects: Negligible ecotoxicity.

SECTION 13 : DISPOSAL CONSIDERATIONS**13.1 Waste treatment methods**

Disposal operations: Transfer to a suitable container and arrange for collection by specialised disposal company.

NB. The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

SECTION 14: TRANSPORT INFORMATION**14.1 UN number**

UN number: UN 1263

14.2 UN Proper shipping name

Shipping name: PAINT

14.3 Transport hazard class(es)

Transport class: 3

14.4 Packing group

Packing group: II

14.5 Environmental hazards

Environmentally hazardous: No Marine Pollutant: No

14.6 Special precautions for user

Special precautions: No special precautions

Tunnel code: D/E

Transport category: 2

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations: Not applicable.

15.2 Chemical Safety Assessment

Chemical safety assessment: A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

SECTION 16: OTHER INFORMATION

Other information: according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830
*indicates text in the SDS which has changed since the last revision.

Phrases used in S2/S3: H225: Highly Flammable liquid and vapour.
H301: Toxic if swallowed.
H311: Toxic in contact with skin.
H331: Toxic if inhaled.
H370: Causes damage to organs<or state all organs affected, if known ><state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>
H371: May cause damage to organs<or state all organs affected, if known><state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>

Legal Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.