

# SAFETY DATA SHEET



Date of issue/Date of revision

: 19 May 2025

Version

: 1.02

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product name** : JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN  
**Product code** : 17000DUT095  
**Product type** : Liquid.  
**Other means of identification** : 00482454; 00482455; 00482457; 00483351

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Consumer applications, Professional applications, Used by spraying, Application by non spray methods..  
**Use of the substance/mixture** : Coating.

### 1.3 Details of the supplier of the safety data sheet

PPG Architectural Coatings UK Ltd, Huddersfield Road, Birstall, West Yorkshire WF17 9XA, Tel: +44 (0) 1924 354000  
PPG Europe BV, Oceanenweg 2, 1047 BB Amsterdam, Netherlands. Tel: +31 (0) 204 075 050

**e-mail address of person responsible for this SDS** : ps.acemea-north@ppg.com

### 1.4 Emergency telephone number

#### Supplier

+44 (0) 1924 354000 (Monday-Thursday 8.00-17.00, Friday 8.00-16.00 (GMT))

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

**Product definition** : Mixture

#### Classification according to UK CLP/GHS

Not classified.

The product is not classified as hazardous according to UK CLP Regulation SI 2019/720 as amended.

See Section 11 for more detailed information on health effects and symptoms.

### 2.2 Label elements

**Signal word** : No signal word.

**Hazard statements** : No known significant effects or critical hazards.

#### Precautionary statements

**General** : Keep out of reach of children. If medical advice is needed, have product container or label at hand.

**Prevention** : Not applicable.

**Response** : Not applicable.

**Storage** : Not applicable.

**Disposal** : Dispose of contents and container in accordance with all local, regional, national and international regulations.  
P102, P101, P501

**Supplemental label elements** : Contains 2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated and 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.  
Safety data sheet available on request.

|                                                   |                                                     |
|---------------------------------------------------|-----------------------------------------------------|
| <b>Code</b> : 17000DUT095                         | <b>Date of issue/Date of revision</b> : 19 May 2025 |
| <b>JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN</b> |                                                     |

SECTION 2: Hazards identification

|                                                                                                                                           |                                                                                         |
|-------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| <b>Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles</b> | : Not applicable.                                                                       |
| <b>Special packaging requirements</b>                                                                                                     |                                                                                         |
| <b>Containers to be fitted with child-resistant fastenings</b>                                                                            | : Not applicable.                                                                       |
| <b>Tactile warning of danger</b>                                                                                                          | : Not applicable.                                                                       |
| <b>2.3 Other hazards</b>                                                                                                                  |                                                                                         |
| <b>Product meets the criteria for PBT or vPvB according to Regulation (EC) No. 1907/2006, Annex XIII</b>                                  | : This mixture does not contain any substances that are assessed to be a PBT or a vPvB. |
| <b>Other hazards which do not result in classification</b>                                                                                | : None known.                                                                           |

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

| Product/ingredient name                            | Identifiers                                                     | %           | Classification                                                                                                                                                                                                                                            | Type |
|----------------------------------------------------|-----------------------------------------------------------------|-------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|
| propane-1,2-diol                                   | REACH #:<br>01-2119456809-23<br>EC: 200-338-0<br>CAS: 57-55-6   | ≥1.0 - ≤5.0 | Not classified.                                                                                                                                                                                                                                           | [2]  |
| (2-methoxymethylethoxy)propanol                    | EC: 252-104-2<br>CAS: 34590-94-8                                | ≥1.0 - ≤5.0 | Not classified.                                                                                                                                                                                                                                           | [2]  |
| 2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated | REACH #:<br>01-2119954393-33<br>EC: 500-022-5<br>CAS: 9014-85-1 | ≤0.30       | Eye Dam. 1, H318<br>Skin Sens. 1B, H317<br>Aquatic Chronic 3, H412                                                                                                                                                                                        | [1]  |
| 1,2-benzisothiazol-3(2H)-one                       | EC: 220-120-9<br>CAS: 2634-33-5<br>Index: 613-088-00-6          | <0.036      | Acute Tox. 4, H302<br>Acute Tox. 2, H330<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>Skin Sens. 1A, H317<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1)<br><b>See Section 16 for the full text of the H statements declared above.</b> | [1]  |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

This mixture contains ≥ 1% of titanium dioxide. The Annex VI classification of titanium dioxide does not apply to this mixture according to Note 10.

Occupational exposure limits, if available, are listed in Section 8.

**SUB codes represent substances without registered CAS Numbers.**

|                                                   |                                                     |
|---------------------------------------------------|-----------------------------------------------------|
| <b>Code</b> : 17000DUT095                         | <b>Date of issue/Date of revision</b> : 19 May 2025 |
| <b>JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN</b> |                                                     |

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

- |                                   |                                                                                                                                                                                                  |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Eye contact</b>                | : Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.                                        |
| <b>Inhalation</b>                 | : Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. |
| <b>Skin contact</b>               | : Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.                                             |
| <b>Ingestion</b>                  | : If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.                                                           |
| <b>Protection of first-aiders</b> | : No action shall be taken involving any personal risk or without suitable training.                                                                                                             |

### 4.2 Most important symptoms and effects, both acute and delayed

#### Potential acute health effects

- |                     |                                                     |
|---------------------|-----------------------------------------------------|
| <b>Eye contact</b>  | : No known significant effects or critical hazards. |
| <b>Inhalation</b>   | : No known significant effects or critical hazards. |
| <b>Skin contact</b> | : No known significant effects or critical hazards. |
| <b>Ingestion</b>    | : No known significant effects or critical hazards. |

#### Over-exposure signs/symptoms

- |                     |                     |
|---------------------|---------------------|
| <b>Eye contact</b>  | : No specific data. |
| <b>Inhalation</b>   | : No specific data. |
| <b>Skin contact</b> | : No specific data. |
| <b>Ingestion</b>    | : No specific data. |

### 4.3 Indication of any immediate medical attention and special treatment needed

- |                            |                                                                                                                             |
|----------------------------|-----------------------------------------------------------------------------------------------------------------------------|
| <b>Notes to physician</b>  | : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
| <b>Specific treatments</b> | : No specific treatment.                                                                                                    |

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

- |                                       |                                                                 |
|---------------------------------------|-----------------------------------------------------------------|
| <b>Suitable extinguishing media</b>   | : Use an extinguishing agent suitable for the surrounding fire. |
| <b>Unsuitable extinguishing media</b> | : None known.                                                   |

### 5.2 Special hazards arising from the substance or mixture

- |                                              |                                                                                                      |
|----------------------------------------------|------------------------------------------------------------------------------------------------------|
| <b>Hazards from the substance or mixture</b> | : In a fire or if heated, a pressure increase will occur and the container may burst.                |
| <b>Hazardous combustion products</b>         | : Decomposition products may include the following materials:<br>carbon oxides<br>metal oxide/oxides |

### 5.3 Advice for firefighters

- |                                                       |                                                                                                                                                                                                                                                                                                                                                             |
|-------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Special protective actions for fire-fighters</b>   | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.                                                                                                                                                               |
| <b>Special protective equipment for fire-fighters</b> | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to British standard BS EN 469 will provide a basic level of protection for chemical incidents. |

|                                                   |                                                     |
|---------------------------------------------------|-----------------------------------------------------|
| <b>Code</b> : 17000DUT095                         | <b>Date of issue/Date of revision</b> : 19 May 2025 |
| <b>JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN</b> |                                                     |

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
- For emergency responders** : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

- 6.2 Environmental precautions** : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

### 6.3 Methods and material for containment and cleaning up

- Small spill** : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

- 6.4 Reference to other sections** : See Section 1 for emergency contact information.  
See Section 8 for information on appropriate personal protective equipment.  
See Section 13 for additional waste treatment information.

## SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

### 7.1 Precautions for safe handling

- Protective measures** : Put on appropriate personal protective equipment (see Section 8).
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Store between the following temperatures: 5 to 35°C (41 to 95°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### 7.3 Specific end use(s)

See Section 1.2 for Identified uses.

**Code** : 17000DUT095 **Date of issue/Date of revision** : 19 May 2025  
**JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN**

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### Occupational exposure limits

| Product/ingredient name         | Exposure limit values                                                                                                                                                                                                                                    |
|---------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| propane-1,2-diol                | <b>EH40/2005 WELs (United Kingdom (UK), 1/2020)</b><br>TWA 8 hours: 474 mg/m <sup>3</sup> . Form: total vapour and particulates.<br>TWA 8 hours: 150 ppm. Form: total vapour and particulates.<br>TWA 8 hours: 10 mg/m <sup>3</sup> . Form: Particulate. |
| (2-methoxymethylethoxy)propanol | <b>EH40/2005 WELs (United Kingdom (UK), 1/2020)</b> Absorbed through skin.<br>TWA 8 hours: 308 mg/m <sup>3</sup> .<br>TWA 8 hours: 50 ppm.                                                                                                               |

No exposure indices known.

**Recommended monitoring procedures** : Reference should be made to monitoring standards, such as the following: British Standard BS EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) British Standard BS EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) British Standard BS EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### DNELs/DMELs

| Product/ingredient name                            | Type | Exposure              | Value                   | Population         | Effects  |
|----------------------------------------------------|------|-----------------------|-------------------------|--------------------|----------|
| propane-1,2-diol                                   | DNEL | Long term Inhalation  | 10 mg/m <sup>3</sup>    | General population | Local    |
|                                                    | DNEL | Long term Inhalation  | 10 mg/m <sup>3</sup>    | Workers            | Local    |
|                                                    | DNEL | Long term Inhalation  | 50 mg/m <sup>3</sup>    | General population | Systemic |
|                                                    | DNEL | Long term Inhalation  | 168 mg/m <sup>3</sup>   | Workers            | Systemic |
|                                                    | DNEL | Long term Oral        | 36 mg/kg bw/day         | General population | Systemic |
| (2-methoxymethylethoxy)propanol                    | DNEL | Long term Inhalation  | 37.2 mg/m <sup>3</sup>  | General population | Systemic |
|                                                    | DNEL | Long term Dermal      | 121 mg/kg bw/day        | General population | Systemic |
|                                                    | DNEL | Long term Dermal      | 283 mg/kg bw/day        | Workers            | Systemic |
|                                                    | DNEL | Long term Inhalation  | 308 mg/m <sup>3</sup>   | Workers            | Systemic |
|                                                    | DNEL | Long term Oral        | 0.25 mg/kg bw/day       | General population | Systemic |
| 2,4,7,9-Tetramethyldec-5-yne-4,7-diol, ethoxylated | DNEL | Long term Dermal      | 0.25 mg/kg bw/day       | General population | Systemic |
|                                                    | DNEL | Long term Inhalation  | 0.43 mg/m <sup>3</sup>  | General population | Systemic |
|                                                    | DNEL | Long term Dermal      | 0.5 mg/kg bw/day        | Workers            | Systemic |
|                                                    | DNEL | Short term Oral       | 0.75 mg/kg bw/day       | General population | Systemic |
|                                                    | DNEL | Short term Dermal     | 0.75 mg/kg bw/day       | General population | Systemic |
|                                                    | DNEL | Short term Inhalation | 1.29 mg/m <sup>3</sup>  | General population | Systemic |
|                                                    | DNEL | Short term Dermal     | 1.5 mg/kg bw/day        | Workers            | Systemic |
|                                                    | DNEL | Long term Inhalation  | 1.76 mg/m <sup>3</sup>  | Workers            | Systemic |
|                                                    | DNEL | Short term Inhalation | 5.28 mg/m <sup>3</sup>  | Workers            | Systemic |
|                                                    | DNEL | Long term Oral        | 0.307 mg/kg bw/day      | General population | Systemic |
|                                                    | DNEL | Long term Dermal      | 0.307 mg/kg bw/day      | General population | Systemic |
|                                                    | DNEL | Long term Inhalation  | 0.534 mg/m <sup>3</sup> | General population | Systemic |
|                                                    | DNEL | Long term Dermal      | 0.859 mg/kg bw/day      | Workers            | Systemic |
|                                                    | DNEL | Long term Inhalation  | 3.03 mg/m <sup>3</sup>  | Workers            | Systemic |
|                                                    | DNEL | Long term Dermal      | 0.345 mg/kg bw/day      | General population | Systemic |
| 1,2-benzisothiazol-3(2H)-one                       | DNEL | Long term Dermal      | 0.966 mg/kg bw/day      | Workers            | Systemic |
|                                                    | DNEL | Long term Inhalation  | 1.2 mg/m <sup>3</sup>   | General population | Systemic |
|                                                    | DNEL | Long term Inhalation  | 6.81 mg/m <sup>3</sup>  | Workers            | Systemic |

#### PNECs

**Code** : 17000DUT095 **Date of issue/Date of revision** : 19 May 2025  
**JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN**

## SECTION 8: Exposure controls/personal protection

| Product/ingredient name         | Compartment Detail              | Value          | Method Detail            |
|---------------------------------|---------------------------------|----------------|--------------------------|
| propane-1,2-diol                | Fresh water                     | 260 mg/l       | Assessment Factors       |
|                                 | Marine water                    | 26 mg/l        | Assessment Factors       |
|                                 | Sewage Treatment Plant          | 20000 mg/l     | Assessment Factors       |
|                                 | Fresh water sediment            | 572 mg/kg dwt  | Equilibrium Partitioning |
|                                 | Marine water sediment           | 57.2 mg/kg dwt | Equilibrium Partitioning |
|                                 | Soil                            | 50 mg/kg dwt   | Equilibrium Partitioning |
|                                 | (2-methoxymethylethoxy)propanol | 19 mg/l        | Assessment Factors       |
|                                 | Marine water                    | 1.9 mg/l       | Assessment Factors       |
|                                 | Sewage Treatment Plant          | 4168 mg/l      | Assessment Factors       |
|                                 | Fresh water sediment            | 70.2 mg/kg     | Equilibrium Partitioning |
| (2-methoxymethylethoxy)propanol | Marine water sediment           | 7.02 mg/kg     | Equilibrium Partitioning |
|                                 | Soil                            | 2.74 mg/kg     | Equilibrium Partitioning |

### 8.2 Exposure controls

**Appropriate engineering controls** : Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

#### Individual protection measures

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety glasses with side shields.

#### Skin protection

**Gloves** : For prolonged or repeated handling, use the following type of gloves:

Recommended: butyl rubber, nitrile rubber

**Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

**Respiratory protection** : Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator. If workers are exposed to concentrations above the exposure limit, they must use appropriate, certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Wear a respirator conforming to EN140. Filter type: organic vapour (Type A) and particulate filter P3

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## SECTION 9: Physical and chemical properties

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

### 9.1 Information on basic physical and chemical properties

#### Appearance

**Physical state** : Liquid.  
**Colour** : Various  
**Odour** : Faint odour. [Slight]  
**Odour threshold** : Not available.

|                                            |               |                                |               |
|--------------------------------------------|---------------|--------------------------------|---------------|
| Code                                       | : 17000DUT095 | Date of issue/Date of revision | : 19 May 2025 |
| JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN |               |                                |               |

SECTION 9: Physical and chemical properties

| Melting point/freezing point                                                                                                                                                                                                                                                                                                        | :                       |                                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------------------------------------------------------------------------------------------------------------|---------|-------------------------|-----|--------|-----------------|-------------------------|------------|-------------------|---------------------------------|-----|-------|---------|-----|--------|-------|-----|--------|-------|------|-----|--|--|--|--|
| Initial boiling point and boiling range                                                                                                                                                                                                                                                                                             | :                       | >37.78°C (>100°F)                                                                                                         |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Flammability (solid, gas)                                                                                                                                                                                                                                                                                                           | :                       | liquid                                                                                                                    |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Upper/lower flammability or explosive limits                                                                                                                                                                                                                                                                                        | :                       | Not available.                                                                                                            |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Flash point                                                                                                                                                                                                                                                                                                                         | :                       | Closed cup: Not applicable.                                                                                               |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Auto-ignition temperature                                                                                                                                                                                                                                                                                                           | :                       |                                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| <table><tr><th>Ingredient name</th><th>°C</th><th>°F</th><th>Method</th></tr><tr><td>(2-methoxymethylethoxy)propanol</td><td>207</td><td>404.6</td><td>EU A.15</td></tr></table>                                                                                                                                                    |                         |                                                                                                                           |         |                         |     |        | Ingredient name | °C                      | °F         | Method            | (2-methoxymethylethoxy)propanol | 207 | 404.6 | EU A.15 |     |        |       |     |        |       |      |     |  |  |  |  |
| Ingredient name                                                                                                                                                                                                                                                                                                                     | °C                      | °F                                                                                                                        | Method  |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| (2-methoxymethylethoxy)propanol                                                                                                                                                                                                                                                                                                     | 207                     | 404.6                                                                                                                     | EU A.15 |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| pH                                                                                                                                                                                                                                                                                                                                  | :                       | 9                                                                                                                         |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Viscosity                                                                                                                                                                                                                                                                                                                           | :                       | Dynamic (room temperature): Not available.<br>Kinematic (room temperature): Not available.<br>Kinematic (40°C): >21 mm²/s |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Solubility(ies)                                                                                                                                                                                                                                                                                                                     | :                       |                                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| <table><tr><th>Media</th><th>Result</th></tr><tr><td>cold water</td><td>Partially soluble</td></tr></table>                                                                                                                                                                                                                         |                         |                                                                                                                           |         |                         |     |        | Media           | Result                  | cold water | Partially soluble |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Media                                                                                                                                                                                                                                                                                                                               | Result                  |                                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| cold water                                                                                                                                                                                                                                                                                                                          | Partially soluble       |                                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Miscible with water                                                                                                                                                                                                                                                                                                                 | :                       | Yes.                                                                                                                      |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Partition coefficient: n-octanol/ water                                                                                                                                                                                                                                                                                             | :                       | Not applicable.                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Vapour pressure                                                                                                                                                                                                                                                                                                                     | :                       |                                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| <table><tr><th rowspan="2">Ingredient name</th><th colspan="3">Vapour Pressure at 20°C</th><th colspan="3">Vapour pressure at 50°C</th></tr><tr><th>mm Hg</th><th>kPa</th><th>Method</th><th>mm Hg</th><th>kPa</th><th>Method</th></tr><tr><td>water</td><td>17.5</td><td>2.3</td><td></td><td></td><td></td><td></td></tr></table> |                         |                                                                                                                           |         |                         |     |        | Ingredient name | Vapour Pressure at 20°C |            |                   | Vapour pressure at 50°C         |     |       | mm Hg   | kPa | Method | mm Hg | kPa | Method | water | 17.5 | 2.3 |  |  |  |  |
| Ingredient name                                                                                                                                                                                                                                                                                                                     | Vapour Pressure at 20°C |                                                                                                                           |         | Vapour pressure at 50°C |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
|                                                                                                                                                                                                                                                                                                                                     | mm Hg                   | kPa                                                                                                                       | Method  | mm Hg                   | kPa | Method |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| water                                                                                                                                                                                                                                                                                                                               | 17.5                    | 2.3                                                                                                                       |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Relative density                                                                                                                                                                                                                                                                                                                    | :                       | 1.22                                                                                                                      |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Explosive properties                                                                                                                                                                                                                                                                                                                | :                       | The product itself is not explosive, but the formation of an explosible mixture of vapour or dust with air is possible.   |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Oxidising properties                                                                                                                                                                                                                                                                                                                | :                       | Product does not present an oxidizing hazard.                                                                             |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Particle characteristics                                                                                                                                                                                                                                                                                                            | :                       |                                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |
| Median particle size                                                                                                                                                                                                                                                                                                                | :                       | Not applicable.                                                                                                           |         |                         |     |        |                 |                         |            |                   |                                 |     |       |         |     |        |       |     |        |       |      |     |  |  |  |  |

SECTION 10: Stability and reactivity

|                                         |   |                                                                                                                                             |
|-----------------------------------------|---|---------------------------------------------------------------------------------------------------------------------------------------------|
| 10.1 Reactivity                         | : | No specific test data related to reactivity available for this product or its ingredients.                                                  |
| 10.2 Chemical stability                 | : | The product is stable.                                                                                                                      |
| 10.3 Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur.                                                             |
| 10.4 Conditions to avoid                | : | When exposed to high temperatures may produce hazardous decomposition products.<br>Refer to protective measures listed in sections 7 and 8. |
| 10.5 Incompatible materials             | : | Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.              |
| 10.6 Hazardous decomposition products   | : | Depending on conditions, decomposition products may include the following materials: carbon oxides metal oxide/oxides                       |

**Code** : 17000DUT095 **Date of issue/Date of revision** : 19 May 2025  
**JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN**

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

| Product/ingredient name      | Result                          | Species | Dose        | Exposure |
|------------------------------|---------------------------------|---------|-------------|----------|
| propane-1,2-diol             | LD50 Dermal                     | Rabbit  | 20800 mg/kg | -        |
| 1,2-benzisothiazol-3(2H)-one | LD50 Oral                       | Rat     | 20 g/kg     | -        |
|                              | LC50 Inhalation Dusts and mists | Rat     | 0.21 mg/l   | 4 hours  |
|                              | LD50 Oral                       | Rat     | 450 mg/kg   | -        |

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Acute toxicity estimates

| Product/ingredient name      | Oral (mg/kg) | Dermal (mg/kg) | Inhalation (gases) (ppm) | Inhalation (vapours) (mg/l) | Inhalation (dusts and mists) (mg/l) |
|------------------------------|--------------|----------------|--------------------------|-----------------------------|-------------------------------------|
| propane-1,2-diol             | 20000        | 20800          | N/A                      | N/A                         | N/A                                 |
| 1,2-benzisothiazol-3(2H)-one | 450          | N/A            | N/A                      | N/A                         | 0.21                                |

#### Irritation/Corrosion

**Conclusion/Summary** : Not available.  
**Skin** : There are no data available on the mixture itself.  
**Eyes** : There are no data available on the mixture itself.  
**Respiratory** : There are no data available on the mixture itself.

#### Sensitisation

| Product/ingredient name      | Route of exposure | Species    | Result      |
|------------------------------|-------------------|------------|-------------|
| 1,2-benzisothiazol-3(2H)-one | skin              | Guinea pig | Sensitising |

#### Conclusion/Summary

**Skin** : There are no data available on the mixture itself.  
**Respiratory** : There are no data available on the mixture itself.

#### Mutagenicity

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Carcinogenicity

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Reproductive toxicity

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Teratogenicity

**Conclusion/Summary** : There are no data available on the mixture itself.

#### Specific target organ toxicity (single exposure)

Not available.

#### Specific target organ toxicity (repeated exposure)

Not available.

#### Aspiration hazard

Not available.

**Information on likely routes of exposure** : Not available.

#### Potential acute health effects

**Eye contact** : No known significant effects or critical hazards.  
**Inhalation** : No known significant effects or critical hazards.

**Code** : 17000DUT095 **Date of issue/Date of revision** : 19 May 2025  
**JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN**

## SECTION 11: Toxicological information

**Skin contact** : No known significant effects or critical hazards.

**Ingestion** : No known significant effects or critical hazards.

### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No specific data.

**Inhalation** : No specific data.

**Skin contact** : No specific data.

**Ingestion** : No specific data.

### Delayed and immediate effects as well as chronic effects from short and long-term exposure

#### Short term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Long term exposure

**Potential immediate effects** : Not available.

**Potential delayed effects** : Not available.

#### Potential chronic health effects

Not available.

**Conclusion/Summary** : Not available.

**General** : No known significant effects or critical hazards.

**Carcinogenicity** : No known significant effects or critical hazards.

**Mutagenicity** : No known significant effects or critical hazards.

**Reproductive toxicity** : No known significant effects or critical hazards.

**Other information** : Not available.

## SECTION 12: Ecological information

### 12.1 Toxicity

| Product/ingredient name                          | Result                   | Species       | Exposure |
|--------------------------------------------------|--------------------------|---------------|----------|
| propane-1,2-diol<br>1,2-benzisothiazol-3(2H)-one | Acute LC50 40613 mg/l    | Fish          | 96 hours |
|                                                  | Acute EC50 0.11 mg/l     | Algae         | 72 hours |
|                                                  | Acute EC50 2.9 mg/l      | Daphnia       | 48 hours |
|                                                  | Acute LC50 2.15 mg/l     | Fish          | 96 hours |
|                                                  | Chronic NOEC 0.0403 mg/l | Algae - Trout | 72 hours |

**Conclusion/Summary** : Not available.

### 12.2 Persistence and degradability

**Conclusion/Summary** : Not available.

| Product/ingredient name                          | Aquatic half-life | Photolysis | Biodegradability |
|--------------------------------------------------|-------------------|------------|------------------|
| propane-1,2-diol<br>1,2-benzisothiazol-3(2H)-one | -                 | -          | Readily          |
|                                                  | -                 | -          | Not readily      |

### 12.3 Bioaccumulative potential

|                                                   |                                                     |
|---------------------------------------------------|-----------------------------------------------------|
| <b>Code</b> : 17000DUT095                         | <b>Date of issue/Date of revision</b> : 19 May 2025 |
| <b>JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN</b> |                                                     |

**SECTION 12: Ecological information**

| Product/ingredient name      | LogP <sub>ow</sub> | BCF | Potential |
|------------------------------|--------------------|-----|-----------|
| propane-1,2-diol             | -1.07              | -   | Low       |
| (2-methoxymethylethoxy)      | 0.004              | -   | Low       |
| propanol                     |                    |     |           |
| 1,2-benzisothiazol-3(2H)-one | 0.7                | -   | Low       |

**12.4 Mobility in soil**

**Soil/water partition coefficient** : Not available.

**Mobility** : Not available.

**12.5 Results of PBT and vPvB assessment**

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

**SECTION 13: Disposal considerations**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

**13.1 Waste treatment methods**

**Product**

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.

**Hazardous waste**

**Waste catalogue**

| Waste code | Waste designation                                              |
|------------|----------------------------------------------------------------|
| 08 01 12   | waste paint and varnish other than those mentioned in 08 01 11 |

**Packaging**

**Methods of disposal** : The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

| Type of packaging | Waste catalogue          |
|-------------------|--------------------------|
| Container         | 15 01 06 mixed packaging |

**Special precautions** : This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

**SECTION 14: Transport information**

**Code** : 17000DUT095 **Date of issue/Date of revision** : 19 May 2025  
**JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN**

## SECTION 14: Transport information

|                                        | ADR/RID         | ADN                                                 | IMDG            | IATA            |
|----------------------------------------|-----------------|-----------------------------------------------------|-----------------|-----------------|
| <b>14.1 UN number</b>                  | Not regulated.  | 9006                                                | Not regulated.  | Not regulated.  |
| <b>14.2 UN proper shipping name</b>    | -               | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | -               | -               |
| <b>14.3 Transport hazard class(es)</b> | -               | 9                                                   | -               | -               |
| <b>14.4 Packing group</b>              | -               | -                                                   | -               | -               |
| <b>14.5 Environmental hazards</b>      | No.             | Yes.                                                | No.             | No.             |
| <b>Marine pollutant substances</b>     | Not applicable. | Not applicable.                                     | Not applicable. | Not applicable. |

### Additional information

**ADR/RID** : None identified.  
**ADN** : The product is only regulated as a dangerous good when transported in tank vessels.  
**IMDG** : None identified.  
**IATA** : None identified.

**14.6 Special precautions for user** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**14.7 Transport in bulk according to IMO instruments** : Not available.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture UK (GB)/REACH

#### Annex XIV - List of substances subject to authorisation

##### Annex XIV

None of the components are listed.

##### Substances of very high concern

None of the components are listed.

**Explosive precursors** : Not applicable.

##### Ozone depleting substances

Not listed.

**VOC for Ready-for-Use Mixture** : IIA/d. Interior/exterior trim and cladding paints for wood and metal. EU limit values: 130 g/l (2010.)  
 This product contains a maximum of 88 g/l VOC.

#### Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

No listed substance

#### Seveso Directive

This product is not controlled under the Seveso Directive.

|                                            |               |                                |               |
|--------------------------------------------|---------------|--------------------------------|---------------|
| Code                                       | : 17000DUT095 | Date of issue/Date of revision | : 19 May 2025 |
| JOHNSTONES TRADE AQUA GUARD EXTERIOR SATIN |               |                                |               |

SECTION 16: Other information

|                                                                                 |                                                                        |                                                                                                                                                                             |  |
|---------------------------------------------------------------------------------|------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|
|  | Indicates information that has changed from previously issued version. |                                                                                                                                                                             |  |
| Abbreviations and acronyms                                                      | :                                                                      | ATE = Acute Toxicity Estimate                                                                                                                                               |  |
|                                                                                 | :                                                                      | GB CLP = UK CLP (EC No 1272/2008) on the Classification, Labelling and Packaging of Substances and Mixtures as amended by (EU Exit) Regulations 2019 No. 720 and amendments |  |
|                                                                                 | :                                                                      | DMEL = Derived Minimal Effect Level                                                                                                                                         |  |
|                                                                                 | :                                                                      | DNEL = Derived No Effect Level                                                                                                                                              |  |
|                                                                                 | :                                                                      | EUH statement = GB CLP-specific Hazard statement                                                                                                                            |  |
|                                                                                 | :                                                                      | N/A = Not available                                                                                                                                                         |  |
|                                                                                 | :                                                                      | PBT = Persistent, Bioaccumulative and Toxic                                                                                                                                 |  |
|                                                                                 | :                                                                      | PNEC = Predicted No Effect Concentration                                                                                                                                    |  |
|                                                                                 | :                                                                      | RRN = REACH Registration Number                                                                                                                                             |  |
|                                                                                 | :                                                                      | SGG = Segregation Group                                                                                                                                                     |  |
|                                                                                 | :                                                                      | vPvB = Very Persistent and Very Bioaccumulative                                                                                                                             |  |

Procedure used to derive the classification

Not classified.

Full text of abbreviated H statements

|      |                                                       |
|------|-------------------------------------------------------|
| H302 | Harmful if swallowed.                                 |
| H315 | Causes skin irritation.                               |
| H317 | May cause an allergic skin reaction.                  |
| H318 | Causes serious eye damage.                            |
| H330 | Fatal if inhaled.                                     |
| H400 | Very toxic to aquatic life.                           |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects.    |

Full text of classifications

|                   |                                                 |
|-------------------|-------------------------------------------------|
| Acute Tox. 2      | ACUTE TOXICITY - Category 2                     |
| Acute Tox. 4      | ACUTE TOXICITY - Category 4                     |
| Aquatic Acute 1   | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1  |
| Aquatic Chronic 1 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 |
| Aquatic Chronic 3 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 |
| Eye Dam. 1        | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1  |
| Skin Irrit. 2     | SKIN CORROSION/IRRITATION - Category 2          |
| Skin Sens. 1A     | SKIN SENSITISATION - Category 1A                |
| Skin Sens. 1B     | SKIN SENSITISATION - Category 1B                |

History

|                                 |                |
|---------------------------------|----------------|
| Date of issue/ Date of revision | : 19 May 2025  |
| Date of previous issue          | : 8 April 2025 |
| Prepared by                     | : EHS          |
| Version                         | : 1.02         |

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by us, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.